

Technical data

ENA Micro 1



JURA standards for all automatic coffee machines

Variable brewing unit	6 - 10 g 0.013 - 0.022 lb
Intelligent Pre-Brew Aroma System (I.P.B.A.S.©)	■
Additional preground coffee powder	■
Hot water function	
Cappuccino frother	
Height-adjustable coffee spout	■
Multi-level conical grinder	■
CLARIS / CLEARYL filter cartridge	■
High-performance pump, 15 bar	■
Thermoblock heating system	■
Integrated rinsing, cleaning and descaling programme	■
Adjustable water hardness	■
Zero-Energy Switch or power switch	■

Specific advantages

Swiss made	
Energy Save Mode (E.S.M.©)	■
Latte macchiato at the touch of a button	
Cappuccino at the touch of a button	
Caffè latte at the touch of a button	
Automatic changeover from milk to milk foam	
Power hot water system (3 temperature levels)	

Technical data



ENA Micro 1

Aroma Boost function

Easy Select©

À la carte bean selection

Coffee à la carte

Powder recognition for additional ground coffee variety



Intelligent preheating



Sensitive-Touchscreen Technology©



Integrated storage compartment

TÜV certificate for manual



Settings and programming options

Programmable amount of water

Amount of water can be adjusted for each preparation



Programmable coffee strength levels

Coffee strength can be adjusted for each preparation



Programmable aroma levels

Programmable brewing temperature levels

Hot water temperature can be programmed to 3 levels

Clear text / graphic display

Clear text display

Symbol display



TFT colour display

Rotary Switch

Technical data



ENA Micro 1

Programmable switch-on time

Programmable switch-off time

Switch-on and switch-off times for each day

Active bean monitoring

Monitored drip tray

Monitored aroma preservation cover



Integrated cappuccino rinsing and cleaning programme

Maintenance status display

Design and materials

Alu Frame Design© 3 mm aluminium front panel

Aluminium front panel

Venti Ports

Electrically adjustable ceramic disc grinder (levels)

Height-adjustable coffee spout

58 - 141 mm
2 - 5.5 in

Width-adjustable coffee spout

Rotating coffee spout

Height-adjustable cappuccino spout

Height-adjustable dual spout (Cappuccino/Coffee)

Height-adjustable hot water spout

Cup illumination

Connector System©

Sound design

Technical data

ENA Micro 1



Accessories

Stainless steel vacuum milk container

Cup warmer Z

Cup warmer optional

Cool Control

Professional Cappuccino Frother

In figures

Water tank capacity	1,1 l 37 oz
---------------------	----------------

Coffee grounds container (servings)	~ 9
-------------------------------------	-----

Bean container with aroma preservation cover	125 g 4.4 oz
--	-----------------

Cable length	~ 1.1 m ~ 59 inch
--------------	----------------------

Voltage	230 V AC, 50 Hz UL: 120 V AC, 60 Hz
---------	--

Power	1450 W
-------	--------

Energy consumption	4 Wh
--------------------	------

Energy consumption with E.S.M.© 1

Energy consumption with E.S.M.© 2

Energy consumption with E.S.M.©	4 Wh
---------------------------------	------

Stand-by power	0 W
----------------	-----

Weight	8,8 kg 19,4 lb
--------	-------------------

Technical data

ENA Micro 1



Dimensions (W x H x T)

23 x 32,3 x 44,5 cm
9.06 x 12.72 x 17.52 in

Checks



Article number / colour

CH: 13593 Micro Black
EU: 13594 Micro Black
UL: 13626 Micro Black